


# Enviroshield<sup>®</sup>

## ANTISHATTER & RAIN REPELLENT HARVEST AID

Active Constituent: Polymer of cyclohexane, 1-methyl- 4-(1- methylethyl)

- Eliminates need to windrow
- Reduces pod shatter
- Maintains seed quality
- Reduces moisture damage of pod crops



9 341200 000683

20L



# ENVIROSHIELD®

## Polymer Pod Protector Film

### GENERAL INSTRUCTIONS:

CROP	RATE	COMMENTS
<b>CROPS THAT WILL BE DIRECT HARVESTED:</b> BRASSICA SEED CROPS (e.g. Canola, Linola, Turnip, Radish and Mustard crops etc.)	1.0 L/ha	Apply ENVIROSHIELD when most of the pods have lost their intense green colour from dark green to light green. At this time, the pod is still pliable and may be bent without splitting open to release the seed. Allow the crop to fully mature before attempting to harvest. It is very important to closely monitor the crop to determine when it is ripe and ready to harvest.
<b>OTHER CROPS THAT WILL BE DIRECT HARVESTED:</b> Legume crops (Edible Dry Beans, Lentils, Field Peas, Soybeans.)	1.0 L/ha	Apply ENVIROSHIELD when the majority of the pods are still pliable and may be bent without splitting open to release the seed.
<b>CROPS THAT WILL BE WINDROWED</b> BRASSICA SEED CROPS (e.g. Canola, Linola, Turnip, Radish and Mustard crops etc.)	1.0 L/ha	Allow the crop to fully mature before attempting to harvest. Apply ENVIROSHIELD when the majority of the pods have lost their intense green colour. At this time, although green, the pod is still pliable and may be bent without splitting open to release the seed. DELAY windrowing for 10-14 days after application.
<b>OTHER CROPS PRONE TO SHATTER</b> Grain Legumes (e.g. Faba Beans, Vetch etc.), Clover (White, Balansa and Persian etc.) Lucerne, Pasture Grass (e.g. Ryegrass, Phalaris, Cocksfoot, and Fescue etc.), other pod shattering crops (e.g. Sesame, Linseed etc.)	1.0 L/ha	Contact your Agspec representative for more information on these crops.

**NOTE:** Do not use additional surfactants/wetting agents with ENVIROSHIELD.

### APPLICATION VOLUME

**GROUND:** Apply ENVIROSHIELD in sufficient water to ensure thorough coverage of seed pods. Minimum water rate is typically 100-150 L/ha. The higher water volume should always be used when denser plant canopies exist.

**AIR:** Apply ENVIROSHIELD in sufficient water to ensure thorough coverage of the canola pods. Minimum water rate is 30 L/ha.

### TIMING OF APPLICATION:

**NOTE:** Careful assessment of crop maturity is important as ideal timing is critical. BE EARLY rather than late in making an application. Crops treated with ENVIROSHIELD and harvested after the optimal time may suffer seed loss. The effectiveness of ENVIROSHIELD may be reduced as a result of adverse weather conditions that involve hail, storms, heavy rains or strong wind conditions. ENVIROSHIELD reduces shatter loss but does not eliminate it 100%.

Use this product in accordance with good agronomic practices which include utilizing proven spray equipment set for proper coverage. Do not make applications when temperatures are too hot, (Delta-T >8). Applications should be made at temperature levels and when other environmental conditions in your area are such that your experience indicates the application will be compatible and will accomplish the desired result.

**MIXING:** Remove tank screen and add ENVIROSHIELD to a half-filled spray tank while agitating, continue agitating while filling and spraying. Tank lines and nozzles should be rinsed with water immediately after spraying.

**COMPATIBILITY:** Fungicides, insecticides and desiccants are compatible and may be used in tank mixtures with ENVIROSHIELD.

**FIRST AID:** If poisoning occurs, contact a doctor or Poisons Information Centre. Phone 13 11 26.

This product does not require registration by the Australian Pesticides and Veterinary Medicines Authority (APVMA).

**CONDITIONS OF SALE:** AGSPEC warrants that the product within the unopened pack conforms to the chemical description on this label. As the occurrence of unusual environmental conditions, and the use of this product, is all beyond the control of AGSPEC, no guarantee, expressed or implied, is made as to the effects of such use or the results obtained, and in no event shall the liability of AGSPEC exceed the price of the product used. The purchaser must assume all risks of storage, use or application of this product. Use of the product implies that the purchaser accepts these conditions of sale.

DOM:

BN:

ENVIROSHIELD® is a registered trademark of Agspec Australia Pty Ltd.



**Packed and Distributed in Australia by**

Agspec Australia Pty Ltd.

ABN: 401 095 739 53

PO. Box 1006, Mt, Gambier, S.A., 5290

Mobile 0427 490 551

Toll Free 1800 683 456

Email [info@agspec.net](mailto:info@agspec.net)

Website [www.agspec.net](http://www.agspec.net)

